



**PRODUCT CATALOGUE**  
**2026**

 **Transflux**<sup>®</sup>  
sustainable contrast delivery



# *SAVE SAFE*

*save on waste, cost and preparation time  
using a safe and sustainable infusion system*




## REFERENCES

product references and descriptions

REF	PRODUCT	DESCRIPTION	LENGTH
PR-20199	Transflux 20 cm	Dual valve extension line with Disconnect feature	20 cm
PR-21379	Transflux 45 cm	Dual valve extension line with Disconnect feature	45 cm
PR-21430	Transflux CT45 RM	Dual valve extension line with Rotating Male connector	45 cm
PR-21393	Transflux 100 cm	Dual valve extension line with Disconnect feature	100 cm
PR-21410	Transflux 150 cm	Dual valve extension line with Disconnect feature	150 cm
PR-20203	Transflux 250 cm	Dual valve extension line with Disconnect feature	250 cm
PR-21417	CT 20 CF	Dual valve extension line without Disconnect feature	20 cm
PR-21420	CT 45 CF	Dual valve extension line without Disconnect feature	45 cm
PR-20206	Transflux MRI 150cm Low Volume	Dual valve extension line with smaller inner diameter	150 cm

### Sustainable Contrast Media line Transflux®

The Transflux® provides an efficient, safe-to-use, and cost-effective solution for your contrast media deliveries. You no longer need to change the syringes on a 'per-patient' basis. Only the Transflux® has to be changed on a 'per-patient' basis. This makes the system extremely cost-effective, reduces waste, saves time, and consequently increases patient throughput. The Transflux® has a patented disconnect feature allowing direct access to the patient when needed in case of adverse reactions to the contrast media. It makes it easy to check for extravasations helping to avoid painful and costly complications. After the procedure part of the Transflux® protects the Transset® from ambient contamination.



## REFERENCES

product references and descriptions

REF	PRODUCT	DESCRIPTION	LENGTH
PR-20197	Transset Mono Filling & injecting set	Filling & injecting set for single syringe injector	130 cm
PR-20198	Transset Duo Filling & injecting set	Filling & injecting set for dual syringe injectors	130 cm
PR-30510	Transset Duo Spiral	Spiral Filling & injecting set for dual syringe injectors	180 cm
PR-30512	Transset Duo Spiral XL	Spiral filling & injecting set for dual syringe injectors	250 cm
PR-30511	Transset Duo MRI Spiral	Spiral Filling & injecting set for dual syringe MRI injectors	130 cm

### Sustainable Contrast Media filling & injecting Transset®

The Transset® provides an efficient, safe-to-use, and cost-effective solution for your contrast media deliveries. You no longer need to change the syringes on a 'per-patient' basis. The Transflux® protects the reusable filling set, Transset®, between patients. The Transset® can be used for 24 consecutive hours when used in combination with Transflux® and as prescribed in the instructions for use. Only the Transflux® has to be changed on a 'per-patient' basis. This makes the system extremely cost-effective, reduces waste, saves time, and consequently increases patient throughput.



REF	BRAND	PRODUCT	DESCRIPTION	APPLICABLE TO INJECTOR
PR-91121	Guerbet	Optivantage syringes + Transset®	2x 200ml Syringe and fill-line Transset	Guerbet Optivantage
PR-91111	Guerbet	Optivantage syringe	1x 200ml Syringe	Guerbet Optivantage
PR-91140	Guerbet	Optistar syringes	MR 2 x 60ml syringe	Guerbet Optistar
PR-91221	Bayer	Stellant syringes + Transset®	2x 200ml Syringe and fill-line Transset	Bayer Stellant
PR-91210	Bayer	Stellant syringe	1x 200ml Syringe	Bayer Stellant
PR-91321	Nemoto	Dual shot Syringes + Transset®	2x 200ml Syringe and fill-line Transset	Nemoto Dual shot
PR-91310	Nemoto	Dual shot syringe	1x 200ml Syringe	Nemoto Dual shot
PR-91340	Nemoto	Sonic shot syringes	2x 60ml; 1x Spiral tube 2500mm; 2x Spike	Nemoto Sonic shot
PR-91421	Medtron	Accutron syringes + Transset®	2x 200ml syringe and fill-line Transset	Medtron Accutron
PR-91410	Medtron	Accutron syringe	1x 200ml Syringe	Medtron Accutron
PR-91520	Bracco	EZEM Empower syringe	2x 200ml Syringe, 1x 1500mm connecting tube, 2x Spike	Bracco EZEM Empower
PR-91510	Bracco	EZEM Empower syringe	1x 200ml Syringe	Bracco EZEM Empower
PR-91540	Bracco	EZEM Empower syringe	2x 200ml Syringe, 1x 2500mm connecting tube, 2x Spike	Bracco EZEM Empower

### Transset® compatible syringes


Our syringes offer a reliable, cost-efficient solution for contrast media delivery across various injector systems. All syringes are compatible with our Transset and can be ordered as a complete set for convenience or as 2 separate products for flexibility. When used in combination with Transflux, only the Transflux needs replacing after each patient. The Syringes and Transset are good for 24 hours or 50 activations, cutting costs, significantly reducing waste and saving product set-up time.

# 300 psi Extension Lines

## Contrast Media Administration Extension Lines Tube diameter 1.5mm (ID) x 3.0mm (OD)


- All devices are supplied in sterile condition and are single use.
- Their luer connection makes them compatible with all the medical devices that use luer connections for the same intended use.

**MALE I.I. / FEMALE I.I.**  
without check valve - straight



REF	LENGTH	UNITS/ CARTON
330SVA21	150 cm	100

**MALE I.I. / FEMALE I.I. + Y-CONNECTOR**  
without check valve - coiled




REF	LENGTH	UNITS/CARTON
330SVY12	150 cm	75

**MALE I.I. / FEMALE I.I.**  
without check valve - coiled



REF	LENGTH	UNITS/CARTON
330ESV21	150 cm	75

**MALE I.I. / FEMALE I.I. + Y-CONNECTOR**  
without check valve - straight




REF	LENGTH	UNITS/CARTON
330EY16	150 cm	75

**MALE I.I. / FEMALE I.I. + Y-CONNECTOR**  
with double check valve - coiled




REF	LENGTH	UNITS/CARTON
330E2VY12	150 cm	75
330E2VY13	250 cm	50

**MALE I.I. / FEMALE I.I. + Y-CONNECTOR**  
with single check valve - coiled




REF	LENGTH	UNITS/CARTON
330E1VY12	150 cm	75
330E1VY13	200 cm	75
330E1VY14	250 cm	50

**MALE I.I. / FEMALE I.I. + Y-CONNECTOR**  
with double check valve - straight



REF	LENGTH	UNITS/CARTON
3302VY12	150 cm	100
3302VY13	250 cm	100

**MALE I.I. / FEMALE I.I.**  
with single check valve - straight



REF	LENGTH	UNITS/CARTON
330VA08	20 cm	250
330VA16	30 cm	200
330VA13	50 cm	200
330VA18	120 cm	200
330VA21	150 cm	200
330VA17	200 cm	200

**MALE I.I. / FEMALE I.I. + Y-CONNECTOR**  
with single check valve - straight



REF	TYPE	LENGTH	UNITS/CARTON
3301VY12	Straight	150 cm	100

# 300 psi Extension Lines

## Contrast Media Administration Extension Lines

Tube diameter: 2,0mm (ID) x 4,1mm (OD)


- All devices are supplied in sterile condition and are single use.
- Their luer connection makes them compatible with all the medical devices that use luer connections for the same intended use.

**MALE I.I. / FEMALE I.I.**  
without check valve - coiled



REF	LENGTH	UNITS/CARTON
330SV14	150 cm	200

**MALE I.I. / FEMALE I.I.**  
without check valve - straight



REF	LENGTH	UNITS/CARTON
3300019	10 cm	250
3300008	50 cm	200
330SVA12	120 cm	200
330SV14	150 cm	200

**FEMALE I.I. / ROTATIVE MALE I.I.**  
with single check valve - straight




REF	LENGTH	UNITS/CARTON
BHL-SVM-20	20 cm	200
BHL-SVM-30	30 cm	200
BHL-SVM-60	60 cm	200
BHL-SVM-120	120 cm	150
BHL-SVM-150	150 cm	150
BHL-SVM-200	200 cm	150
BHL-SVM-250	250 cm	100

**FEMALE I.I. / ROTATIVE MALE I.I.**  
with single check valve - coiled




REF	LENGTH	UNITS/CARTON
BHL-SVC-150	150 cm	100
BHL-SVC-200	200 cm	100

**FEMALE I.I. / ROTATIVE MALE I.I.**  
with double check valve - coiled



REF	LENGTH	UNITS/CARTON
BHL-DVC-150	150 cm	100
BHL-DVC-200	200 cm	100

**FEMALE I.I. / ROTATIVE MALE I.I.**  
with double check valve - straight




REF	LENGTH	UNITS/CARTON
BHL-DVM-20	20 cm	200
BHL-DVM-30	30 cm	200
BHL-DVM-60	60 cm	200
BHL-DVM-120	120 cm	150
BHL-DVM-150	150 cm	150
BHL-DVM-200	200 cm	150
BHL-DVM-250	250 cm	100

# 1200 psi Extension Lines

## Contrast Media Administration Extension lines

- High Pressure lines for the administration of contrast media by high pressure up to 1200 psi.
- Assembled with PVC DEHP free or braided PU tube.

### MALE I.I. / FEMALE I.I.



REF	LENGTH	UNITS/CARTON
BHL-HFMF-15	15 cm	100
BHL-HFMF-50	50 cm	50
BHL-HFMF-75	75 cm	50
BHL-HFMF-120	120 cm	50
BHL-HFMF-150	150 cm	50
BHL-HFMF-200	200 cm	50

### MALE I.I. / ROTATIVE MALE I.I.




REF	LENGTH	UNITS/CARTON
BHL-HFMMR-50	50 cm	50
BHL-HFMMR-75	75 cm	50
BHL-HFMMR-100	100 cm	50
BHL-HFMMR-120	120 cm	50
BHL-HFMMR-150	150 cm	50
BHL-HFMMR-200	200 cm	50

### FEMALE I.I. / ROTATIVE MALE I.I.



REF	LENGTH	UNITS/CARTON
BHL-HFFMR-50	50 cm	50
BHL-HFFMR-100	100 cm	50
BHL-HFFMR-120	120 cm	50
BHL-HFFMR-150	150 cm	50
BHL-HFFMR-200	200 cm	50


### MALE I.I. / MALE I.I.



REF	LENGTH	UNITS/CARTON
BHL-HFMM-75	75 cm	50
BHL-HFMM-100	100 cm	50
BHL-HFMM-120	120 cm	50
BHL-HFMM-150	150 cm	50
BHL-HFMM-200	200 cm	50


# PVC Tubes

## MALE I.I. / FEMALE I.I. with single check valve



REF	LENGTH	UNITS/CARTON
BHL-HFMFV-50	50 cm	50
BHL-HFMFV-100	100 cm	50
BHL-HFMFV-120	120 cm	50
BHL-HFMFV-200	200 cm	50

## MALE I.I. / MALE I.I. with single check valve




REF	LENGTH	UNITS/CARTON
BHL-HFMMV-50	50 cm	50
BHL-HFMMV-75	75 cm	50
BHL-HFMMV-100	100 cm	50
BHL-HFMMV-120	120 cm	50
BHL-HFMMV-150	150 cm	50
BHL-HFMMV-200	200 cm	50

## WITH STOPCOCK



REF	CONNECTION LENGTH	UNITS/CARTON
BHL-HFMMS-150	Male I.I. / Male I.I. / 150 cm	50
BHL-HFMFS-150	Male I.I. / Female I.I. / 150 cm	50


## WITH PROTECTIVE SLEEVE



REF	CONNECTION LENGTH	UNITS/CARTON
BHL-HFMSS-150	Male I.I. / Male I.I. / 150 cm	50

# 1200 psi Extension Lines

## MALE I.I. / FEMALE I.I.



REF	LENGTH	UNITS / CARTON
BHL-HFMFB1-50	50 cm	50
BHL-HFMFB1-75	75 cm	50
BHL-HFMFB2-120	120 cm	50
BHL-HFMFB2-150	150 cm	50
BHL-HFMFB1-200	200 cm	50

## MALE I.I. / ROTATIVE MALE I.I.




REF	LENGTH	UNITS/CARTON
BHL-HFMMRB2-50	50 cm	50
BHL-HFMMRB2-75	75 cm	50
BHL-HFMMRB2-100	100 cm	50
BHL-HFMMRB2-120	120 cm	50
BHL-HFMMRB2-150	150 cm	50
BHL-HFMMRB2-200	200 cm	50

## MALE I.I. / MALE I.I.



REF	LENGTH	UNITS / CARTON
BHL-HFMMB2-75	75 cm	50
BHL-HFMMB2-100	100 cm	50
BHL-HFMMB2-120	120 cm	50
BHL-HFMMB2-150	150 cm	50
BHL-HFMMB2-200	200 cm	50


## FEMALE I.I. / ROTATIVE MALE I.I.



REF	LENGTH	UNITS / CARTON
BHL-HFFMRB1-150	50 cm	50
BHL-HFFMRB1-100	100 cm	50
BHL-HFFMRB1-120	120 cm	50
BHL-HFFMRB1-150	150 cm	50
BHL-HFFMRB1-200	200 cm	50


# Braided tubes

## MALE I.I. / FEMALE I.I. with single check valve



REF	LENGTH	UNITS / CARTON
BHL-HFMFVB2-50	50 cm	50
BHL-HFMFVB2-100	100 cm	50
BHL-HFMFVB2-120	120 cm	50
BHL-HFMFVB2-200	200 cm	50

## MALE I.I. / MALE I.I. with single check valve



REF	LENGTH	UNITS/CARTON
BHL-HFMMVB2-50	50 cm	50
BHL-HFMMVB2-75	75 cm	50
BHL-HFMMVB2-100	100 cm	50
BHL-HFMMVB2-120	120 cm	50
BHL-HFMMVB2-150	150 cm	50
BHL-HFMMVB2-200	200 cm	50

## WITH PROTECTIVE SLEEVE




REF	CONNECTION LENGTH	UNITS/ CARTON
400118MMTSPU	Male I.I./Male I.I. 150 cm	50

# High Pressure Accessories

## Manifolds & Stopcocks

### 1/2 WAY STOPCOCK



REF	TYPE	UNITS/ CARTON
3306013	1/2 way	50

### 3/4 WAY STOPCOCK




REF	CONNECTION LENGTH	UNITS/ CARTON
3306016	3/4 way	50

### 3 STOPCOCK MANIFOLD



REF	TYPE	UNITS/ CARTON
3306019R	Right - On	50
3306018R	Right - Off	50
3306018L	Left - Off	50

### 2 STOPCOCK MANIFOLD



REF	CONNECTION LENGTH	UNITS/ CARTON
3306017R	Right - Off	50
3306017L	Left - Off	50



**SAVE SAFE**



*save on waste*



*save on cost*



*save on preparation time*

**Transflux & Transset**  
*the safe and sustainable infusion system*



**trans-flux.com**

**P&R MEDICAL BV**

Wetenschappark 5  
3590 Diepenbeek, Belgium  
+32 (0)11 23 46 82  
info@trans-flux.com



follow us on social media

**distributed by:**